



# MATERIAL SAFETY DATA SHEET

## Fabric Softener (unscented)

<b>Section I - Material Identification and Use</b>			
<b>Product name</b>	Liquid Fabric Softener - unscented		
<b>PIN</b>	N/A		
<b>Product use</b>	Laundry		
<b>Product type</b>	Consumer Commercial & institutional		
<b>Brands</b>	LFT Group Live for Tomorrow		
<b>WHMIS Classification</b>	N/A		
<b>Contact Name</b>	LFT Group Brands Ltd.		
<b>Address</b>	344 – 255 Newport Drive, Port Moody, BC, V3H 5H1, Canada		
<b>Telephone</b>	+1-604-629-5869 Mon – Fri : 9.00am – 4.00pm PST		
<b>24hr emergency</b>	+1-778-688-2404		
<b>Fax</b>	+1-604-608-5424		
<b>E-mail</b>	<a href="mailto:mail@lft-group.com">mail@lft-group.com</a>		
<b>Website</b>	<a href="http://www.lft-group.com">www.lft-group.com</a>		
<b>Section II - Product Ingredients</b>			
<b>Ingredient Name</b>	<b>CAS Number</b>	<b>Exposure Limits</b>	<b>Toxicity Data LD<sub>50</sub> (oral, rat)</b>
<b>De-ionised water</b>	7732-18-5	N/A	N/A
<b>Soy Alkyl Group</b>		N/A	N/A
<b>Section III – Health Hazard Data</b>			
<b>Emergency overview</b>	No known health hazards		
<b>Potential Health Effects:</b>			
<b>Eyes</b>	Irritant		
<b>Skin</b>	Mild irritant		
<b>Inhalation</b>	May cause mild nausea		
<b>Ingestion</b>	Nausea		



# MATERIAL SAFETY DATA SHEET

<b><u>Section IV – First Aid Measures</u></b>	
<i>In case of over-exposure by:</i>	
<b>Eyes</b>	Flush with water for 15 minutes. See a doctor if irritation persists
<b>Skin</b>	Flush well with water
<b>Inhalation</b>	Remove victim to fresh air
<b>Ingestion</b>	Make victim vomit. Seek medical attention
<b><u>Section V – Fire &amp; Explosion Hazard</u></b>	
<b>Flammability</b>	No
<b>Means of Extinction</b>	Use media appropriate to primary fire cause
<b>Upper Flammable Limit</b>	N/A
<b>Lower Flammable Limit</b>	N/A
<b>Flashpoint</b>	None
<b>Auto-ignition Temperature</b>	N/A
<b>Hazardous Combustion Product</b>	None
<b>Sensitivity to Impact</b>	Stable
<b>Sensitivity to Static</b>	Stable
<b><u>Section VI – Accidental Release Measures</u></b>	
<b>Leak &amp; Spill Procedure</b>	Pick up material with an inert absorbent, and then wash area well with water. Dispose of material in an approved manner. Follow all local, provincial state, and federal laws and regulations.
<b><u>Section VII – Handling, Disposal &amp; Storage</u></b>	
<b>Gloves</b>	Neoprene rubber
<b>Eye</b>	Chemical safety goggles
<b>Respiratory</b>	None
<b>Other</b>	Face shield recommended
<b>Engineering Controls</b>	Use in a ventilated area
<b>Waste Disposal</b>	Any disposal practice must be in compliance with local, provincial, state, and federal laws and regulations.
<b>Handling Procedures</b>	None
<b>Storage Requirements</b>	Do not freeze



# MATERIAL SAFETY DATA SHEET

<b>Shipping Information</b>	Consult Transportation of Dangerous Goods rules and regulations				
<b>Section VIII – Physical &amp; Chemical Properties</b>					
<b>Physical State</b>	Liquid				
<b>Appearance</b>	Opaque liquid				
<b>Odour</b>	Mild Chemical odour				
<b>Odour Threshold</b>	N/A				
<b>Specific Gravity</b>	0.980				
<b>Boiling Point</b>	100 Deg. C				
<b>Freezing Point</b>	0 Deg. C				
<b>Solubility In H2O</b>	N/A				
<b>pH (Undiluted)</b>	8.1				
<b>Vapour Pressure (mm Hg)</b>	N/A				
<b>Vapour Density (Air = 1)</b>	N/A				
<b>Evaporation Rate</b>	N/A				
<b>Coefficient Water/Oil Dist</b>	N/A				
<b>Section IX – Stability &amp; Reactivity</b>					
<b>Chemical Stability</b>	Stable				
<b>Incompatible Materials</b>	None				
<b>Possibility of Hazardous Reactions</b>	None				
<b>Hazardous Decomposition Products</b>	None				
<b>Section X – Stability &amp; Reactivity</b>					
<b>Route(s) of entry:</b>					
<input checked="" type="checkbox"/>	Skin Contact	<input type="checkbox"/>	Skin Absorption	<input checked="" type="checkbox"/>	Eye contact
<input checked="" type="checkbox"/>	Inhalation, Acute	<input type="checkbox"/>	Inhalation Chronic	<input checked="" type="checkbox"/>	Ingestion
<b>Effects of Acute Exposure to Product</b>		Acute exposure may result in eye irritation.			
<b>Effects of Chronic Exposure to Product</b>		N/A			
<b>Chronic Toxicities:</b>					
<input type="checkbox"/>	<b>Chronic Effects</b>	<input type="checkbox"/>	<b>Sensitization</b>	<input type="checkbox"/>	<b>Carcinogenicity</b>



# MATERIAL SAFETY DATA SHEET

	<b>Reproductive Effects</b>		<b>Teratogenicity</b>		<b>Mutagenicity</b>
	<b>Exposure Limits</b>		<b>Synergistic Materials</b>		
<b>LD<sub>50</sub> of Product</b>		N/A			
<b><u>Section XI – Ecological Information</u></b>					
<b>Ecotoxicity: LC<sub>50</sub> of Product</b>		N/A			
<b>Environmental Fate</b>		This product is biodegradable			
<b>Septic Safe</b>		This product is safe for use in septic tanks			
<b><u>Section XI – Ecological Information</u></b>					
<b><i>Additional Information:</i></b>					
The information in this MSDS relates only to the specific material designated herein and does <b>not</b> relate to use in combination with any other material or any process.					
<b>Sources Used:</b>		General MSDS chemical references			
<b>Prepared by:</b> LFT Group Brands Ltd		<b>Telephone Number:</b> +1-604-629-5869		<b>Issue date:</b> 12 April 2010	
The information contained in this Material Safety Data Sheet is provided by LFT Group Brands Ltd., free of charge. While believed to be reliable, it is intended for use by skilled persons at their own risk. LFT Group Brands Ltd. assumes no responsibility for events resulting from, or damages incurred from, its use.					
<b>Legend</b>					
N/A		Not applicable			